## APPROXIMATE HARVEST DATES

# Compiled for State College Area or Region of Production in the Southeast

| CROP                   | BEGIN        | PEAK                                 | END             |
|------------------------|--------------|--------------------------------------|-----------------|
| Crimson                | 1 June       | 1 June                               | 15-20 June      |
| Red Clover             | 14 June      | 1-15 July                            | 15 July         |
| White Clover           | 1 June       | Harvest anytime 3/4 heads are brown. |                 |
| Fescue                 | 1 June       | 8 June                               | 15 June         |
| Rescue                 | 1 June       | 18 June                              | 25 June         |
| Dallisgrass            | 10 June      | Harvest until frost.                 |                 |
| Roughpea (L. hirsutus) | 5 June       | 12 June                              | 20 June         |
| Soybeans               | 1 September  | Harvest until on variety.            | frost-dependent |
| Common Lespedeza       | 1 October    | 16 October                           | 1 November      |
| Kobe Lespedeza         | 15 September | 10 October                           | 1 November      |
| Korean lespedeza       | 15 August    | 15 September                         | 1 October       |
| Sericea                | 6 October    | 5 November                           | Frost           |
| Wheat                  | 1 June       | 15 June                              | 21 June         |
| Barley                 | 25 May       | 1 June                               | 15 June         |

| approximate narvest bates (continued) |              |   | 1 ago 2                                    |  |
|---------------------------------------|--------------|---|--|--|
| CROP                                  | BEGIN        | PEAK  | END  |  |
| Pearl millets                         | 15 August    |   | 15 September dependent on date of maturity |  |
| Alyce Clover                          | 15 September | 10 October  | 15 October                                 |  |
| Bahia grass                           | 1 July       | Harvest until   | frost.                                     |  |
| Bur clover                            | 1 June       | 15-20 June  | 1 July                                     |  |
| Corn                                  | 1 September  | Harvest until frost. Weevil population may be reduced if not harvested until after first heavy frost. |  |  |
| Sorgo                                 | 1 September  | Harvest until frost-dependent on date of maturity.  |  |  |
| Seedcotton                            | 15 August    | Until harvest   | can be completed.                          |  |
| Southern Pea*                         | 1 August     | Harvest shortly after full maturity; seed will mold if left in pod in field                           |  |  |
| Lupine                                | 1 June       | 10 June   | 1 July                                     |  |
| Crotalaria (Early spectabilis)        | 1 September  | Harvest shortly maturity.   | y after full                               |  |
| Ryegrass                              | 7 June       | 15 June   | 22 June                                    |  |
| Persian                               | 25 May       | 8 June  | 20 June                                    |  |
| Peanuts                               | 1 August     | 15 October  | 5 November                                 |  |
|                                       |              |   |  |  |

<sup>\*</sup> SOUTHERN PEA has been adopted in lieu of COWPEA by southern horticulturists.

#### APPROXIMATE HARVEST DATES

# Compiled for State College Area or Region of Production in the Southeast

| CROP                   | BEGIN        | PEAK  | END   |
|------------------------|--------------|---|---|
| Crimson                | 1 June       | 1 June  | 15-20 June                                    |
| Red Clover             | 14 June      | 1-15 July   | 15 July                                       |
| White Clover           | 1 June       | Harvest anytime 3/4 heads are brown.  |   |
| Fescue                 | 1 June       | 8 June  | 15 June                                       |
| Rescue                 | 1 June       | 18 June   | 25 June                                       |
| Dallisgrass            | 10 June      | Harvest until frost.  |   |
| Roughpea (L. hirsutus) | 5 June       | 12 June   | 20 June                                       |
| Soybeans               | 1 September  | Harvest until frostde-<br>pendent on variety.   |   |
| Common Lespedeza       | 1 October    | 16 October  | 1 November                                    |
| Kobe Lespedeza         | 15 September | 10 October  | 1 November                                    |
| Korean Lespedeza       | 15 August    | 15 September  | 1 October                                     |
| Sericea                | 6 October    | 5 November  | Frost   |
| Wheat                  | 1 June       | 15 June   | 21 June                                       |
| Barley                 | 25 May       | 1 June  | 15 June                                       |
| Perl Millets           | 15 August    |   | 15 September dependent on date of ma- turity. |
| Alyce Clover           | 15 September | 10 October  | 15 October                                    |
| Bahiagrass             | 1.July       | Harvest until   | frost.  |
| Corn                   | 1 September  | Harvest until frost. Weevil population may be reduced if not harvested until after first heavy frost. |   |
| Sorgo                  | 1 September  | Harvest until frostde-<br>pendent on date of maturity.  |   |

## Approximate Harvest Dates (Continued)

| CROP                           | BEGIN       | PEAK   | END              |
|--------------------------------|-------------|--|------------------|
| Seed Cotton                    | 15 August   | Until harvest o  | an be completed. |
| Southern Pea*                  | 1 August    | Harvest shortly after full maturity; seed will mold if left in pod in field. |                  |
| Lupine                         | 1 June      | 10 June  | 1 July           |
| Crotalaria (Early spectabilis) | 1 September | Harvest shortly maturity.  | after full       |
| Ryegrass                       | 7 June      | 15 June  | 22 June          |
| Persian                        | 25 May      | 8 June   | 20 June          |
| Peanyts                        | 1 August    | 15 October   | 5 November       |
| Bur Clover                     | 1 June      | 15-20 June   | l July           |

<sup>\*</sup> SOUTHERN PEA has been adopted in lieu of COWPEA by southern horticulturists.